

### **Listing of the Claims**

This listing of claims will replace all prior versions and listings of claims in the application.

1. (Previously presented) A method of coordinating magnetic resonance imaging (MRI) with operation of an implantable medical device (IMD), comprising;
  - sending a control signal to the IMD prior to delivery of electromagnetic radiation bursts to a patient in whom the IMD is implanted;
  - delivering electromagnetic radiation bursts to the patient; and
  - responsive to receipt of the control signal by the (IMD), blanking one or more components of the (IMD) for a time period beginning prior to and including delivery of the electromagnetic radiation bursts to the patient.
2. (Cancelled)
3. (Previously presented) The method of claim 1, wherein sending the control signal comprises sending the control signal from an MRI device to cause the blanking.
4. (Previously presented) The method of claim 1, wherein sending the control signal comprises sending the control signal from a programmer to cause the blanking.
5. (Previously presented) The method of claim 1, wherein the control signal indicates a timing for application of the electromagnetic radiation bursts and blanking the components consistent with the timing.
6. (Cancelled)
7. (Previously presented) The method of claim 5, wherein the control signal comprises an indication of a start time of one or more of the electromagnetic radiation bursts.

8. (Previously presented) The method of claim 7, wherein the control signal comprises an indication of a duration of one or more of the electromagnetic radiation bursts.

9. (Previously presented) The method of claim 1, wherein blanking the one or more components of the IMD includes disabling one or more sensing components of the IMD for a period of time and re-enabling the one or more sensing components following the period of time.

10. (Previously presented) The method of claim 9, wherein blanking the one or more components of the IMD includes disabling one or more sensing amplifiers of the IMD for the period of time and enabling the one or more sensing amplifiers following the period of time.

11. (Previously presented) An implantable medical device (IMD) comprising:  
a receiver to receive a control signal produced by a magnetic resonance imaging (MRI) system prior to application of an MRI electromagnetic radiation burst; and  
a control unit that in response to the control signal, blanks one or more components the (IMD) for a time period beginning prior to and including application of an MRI electromagnetic radiation burst delivered by the MRI system.

12. (Previously presented) The device of claim 11, wherein the control signal indicates a timing for application of one or more electromagnetic radiation bursts.

13. (Cancelled)

14. (Cancelled)

15. (Previously presented) The device of claim 14, wherein the control signal comprises a signal used by the IMD to define blanking duration of the components of the IMD.

16. (Cancelled)

17. (Previously presented) The device of claim 11, wherein the control signal provides an indication of a start time of the MRI electromagnetic radiation burst.

18. (Previously presented) The device of claim 14, wherein the control signal provides an indication of a duration of the MRI electromagnetic radiation burst.

19. (Previously presented) The device of claim 11, wherein the control unit blanks the one or more components of the IMD by disabling one or more sensing components of the IMD for a period of time and enabling the one or more sensing components following the period of time.

20. (Previously presented) The device of claim 19, wherein the control unit blanks the one or more components of the IMD by disabling one or more sensing amplifiers of the IMD for the period of time and enabling the one or more sensing amplifiers following the period of time.

21. (Previously presented) The device of claim 11, wherein the IMD is selected from the group consisting of:

an implantable cardiac pacemaker, an implantable defibrillator, an implantable cardioverter, an implantable pacemaker-defibrillator-cardioverter, an implantable sensing device; an implantable monitor; an implantable muscular stimulator; an implantable nerve stimulator; an implantable deep brain stimulator, an implantable gastric stimulator, an implantable colon stimulator, an implantable agent dispenser, and an implantable recorder.

22. (Cancelled)

23. (Previously presented) A system comprising:

a magnetic resonance imaging (MRI) device including a transmitter to transmit a control signal relating to application of an MRI electromagnetic radiation burst from the MRI device; and

an implantable medical device (IMD) including a control unit responsive to the control signal to blank one or more components of the IMD for a time period beginning prior to and including application of the MRI electromagnetic radiation burst.

24. (Previously presented) The system of claim 23, wherein the receiver receives the control signal directly from the MRI device.

25. (Previously presented) The system of claim 23, further comprising a programmer, wherein the MRI device transmits the control signal to the programmer, and the receiver of the IMD receives the control signal from the programmer.

26. (Previously presented) The system of claim 23, wherein the control signal comprises a signal used by the IMD to define blanking of components of the IMD.

27. (Previously presented) The system of claim 23, wherein the control signal provides an indication of a start time of the MRI electromagnetic radiation burst.

28. (Previously presented) The system of claim 23, wherein the control signal provides an indication of a duration of the MRI electromagnetic radiation burst.

29. (Previously presented) The system of claim 23, wherein the control unit blanks the one or more components of the IMD by disabling one or more sensing components of the

IMD for a period of time and enables the one or more sensing components following the period of time.

30. (Previously presented) The system of claim 29, wherein the control unit blanks the one or more components of the IMD by disabling one or more sensing amplifiers of the IMD for a period of time and enabling the one or more sensing amplifiers following the period of time.

31. (Currently amended) A system comprising:

a programmer defining timing for application of a magnetic resonance imaging (MRI) electromagnetic radiation burst and generating [[a]] first and second signals indicative thereof;

an MRI device responsive to the first signal and applying the electromagnetic radiation burst according to the timing indicated by the first signal; and

an implantable medical device (IMD) to receive [[a]] the second signal from the programmer and blank one or more components of the IMD for a time period beginning prior to and including application of the MRI electromagnetic radiation burst.

32. (Original) The system of claim 31, wherein the first and second signals comprise an indication of a start time of the MRI electromagnetic radiation burst.

33. (Original) The system of claim 31, wherein the first and second signals comprise an indication of a duration of the MRI electromagnetic radiation burst.

34. (Cancelled)

35. (Cancelled)

36. (Cancelled)

37. (Cancelled)

38. (Cancelled)

39. (Currently amended) The system of claim 31, wherein ~~the control unit blanks~~ the one or more components of the IMD include by disabling one or more sensing components, ~~and the IMD disables the one or more sensing components~~ of the IMD for a period of time and enables ~~enabling~~ the one or more sensing components following the period of time.

40. (Currently amended) The system device of claim ~~39~~ 34, wherein the ~~control unit~~ ~~blanks the one or more~~ sensing components ~~of the IMD by disabling~~ comprise one or more sensing amplifiers ~~of the IMD for the period of time and enabling the one or more~~ sensing amplifiers following the period of time.

41. (Previously presented) The device of claim 11, wherein the IMD is selected from the group consisting of:

an implantable cardiac pacemaker, an implantable defibrillator, an implantable cardioverter, an implantable pacemaker-defibrillator-cardioverter, an implantable sensing device; an implantable monitor; an implantable muscular stimulator; an implantable nerve stimulator; an implantable deep brain stimulator, an implantable gastric stimulator, an implantable colon stimulator, an implantable agent dispenser, and an implantable recorder.